

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 37]

NEW DELHI, SATURDAY, OCTOBER 6, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 8th September, 1956

CHOLERA							SMALLPOX							PLAGUE						
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		
STATES PART (A) AND PART (C)														Assam—contd.						
Ajmer														(Bstd. mid-year pop. 9,817 thousands.)						
TOTAL			
(Bstd. mid-year pop. 752 thousands.)														Total for w/e 1-9-56						
Total for w/e 25-8-56														Total for w/e 25-8-56						
7-yearly mean for the week														7-yearly mean for the week						
TOTAL														Bhopal						
(Bstd. mid-year pop. 867 thousands.)														TOTAL						
Andhra														Total for w/e 1-9-56						
Visakhapatnam														Total for w/e 25-8-56						
Godavari East														7-yearly mean for the week						
Godavari West														TOTAL						
Krishna														Bihar						
Guntur														Patna						
Nellore														Gaya						
Kurnool														Shahabad						
Anantapur														Saran						
Chittoor														Muzaffarpur						
TOTAL														Darbhanga						
(Bstd. mid-year pop. 21,238 thousands.)														Monghyr						
Total for w/e 1-9-56														Bhagalpur						
Total for w/e 25-8-56														Manbhanm						
7-yearly mean for the week														TOTAL						
Assam														(Bstd. mid-year pop. 42,198 thousands.)						
Garro Hills														Total for w/e 1-9-56						
TOTAL														Total for w/e 25-8-56						
TOTAL														7-yearly mean for the week						

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 8th September, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Bombay								Madras																							
Greater Bombay	2	Madras	9	2															
Surat	2	Chingleput	9	2															
Ahmednager	2	Salem	11	1															
East Khandesh	..	17	5	4	1	Coimbatore	2															
West Khandesh	..	29	3	South Arcot	53	9															
Satara North	3	Tanjore	4	1															
Kanara	2	Mathurai	2	1															
Mehsana	2	2	Ramanathapuram	8	1															
TOTAL	..	48	8	15	3	Tirunelveli	4	2															
(Estd. mid-year pop. 39,569 thousands.)								(Estd. mid-year pop. 38,273 thousands.)																							
Total for w/e 1-9-56	..	89	8	12	3	Total for w/e 1-9-56	92	28																
Total for w/e 25-8-56	..	174	19	9	3	Total for w/e 25-8-56	131	45																
7-yearly mean for the week	..	70	29	26	3	7-yearly mean for the week	508	262	59	14															
Coorg								Manipur																							
TOTAL	TOTAL															
(Estd. mid-year pop. 262 thousands.)								(Estd. mid-year pop. 613 thousands.)																							
Total for w/e 1-9-56	Total for w/e 1-9-56															
Total for w/e 25-8-56	Total for w/e 25-8-56															
7-yearly mean for the week	Orissa																							
Delhi								Cuttack	99	52															
TOTAL	Balasore	1															
(Census pop. 1,744 thousands)								Puri	3	1														
Total for w/e 1-9-56	3	Baudh	1															
Total for w/e 25-8-56	1	1	Ganjam	39	26															
7-yearly mean for the week	Dhenkanal	4	9	10															
Himachal Pradesh								TOTAL	..	146	88	11															
TOTAL	(Estd. mid-year pop. 15,114 thousands.)																							
(Estd. mid-year pop. 1,003 thousands.)								Total for w/e 1-9-56	239	143	8															
Total for w/e 1-9-56	Total for w/e 25-8-56	341	182	18	2															
Total for w/e 25-8-56	7-yearly mean for the week	..	20	11	50	8															
7-yearly mean for the week	Punjab (I)																							
Madhya Pradesh								Ferozepur	2														
"N.R."								TOTAL	2														
(Estd. mid-year pop. 12,641 thousands.)								(Census pop. 12,641 thousands.)																							
Total for w/e 1-9-56	Total for w/e 1-9-56	1															
Total for w/e 25-8-56	Total for w/e 25-8-56															
7-yearly mean for the week								1																

Explanation of Symbols used : C =Cases; D.=Deaths ; ..=Nil. "N. R. = " Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th August, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C. D. C. D. C. D.							C. D. C. D. C. D.						
Pondicherry							Grand Total for (States						
"N.R."							Parts (A) and (C) excluding						
							Madhya Pradesh and						
							Pondicherry						
							508	226	276	67	
Tripura							Corresponding (Estd. mid-year pop.						
							281,659* thousands) excluding						
							Pondicherry and Madhya Pradesh						
TOTAL							Corresponding						
..							Total for w/e 1-9-56						
..							736	331	333	78	
(Estd. mid-year pop. 706							Corresponding						
thousands.)							Total for w/e 25-8-56						
Total for w/e 1-9-56							968	395	349	104	
Total for w/e 25-8-56							Corresponding						
..							7-yearly mean for						
..							the week						
..							1,383	666	239	54	3	..	
Uttar Pradesh							STATES PART (B)						
Agra							Hyderabad						
2							Aurangabad						
1							43	13	
11							Parbhani						
..							11	6	
..							Bhir						
..							11	7	
2							Hyderabad						
2							12	
7							TOTAL						
7							65	26	12	
MAINPUR							Jammu and Kashmir						
..							"N.R."						
TOTAL							Madhya Bharat						
23							"N.R."						
(Estd. mid-year pop.							Mysore						
66,780 thousands.)							Bangalore						
Total for w/e 1-9-56							6	2	
Total for w/e 25-8-56							Chitaldrug						
21							3	
38							Kolar						
175							1	..	2	..	
7-yearly mean for							TOTAL						
the week							4	..	8	2	
175							Patiala and East Punjab States Union						
89							TOTAL						
12							
4							Rajasthan						
3							"N.R."						
1							Saurashtra						
Vindhya Pradesh							TOTAL						
TOTAL							
..							Travancore-Cochin						
(Estd. mid-year pop.							TOTAL						
3,686 thousands.)							20	7	..	
Total for w/e 1-9-56							Grand total for States						
Total for w/e 25-8-56							Part (B)						
..							65	26	36	7	8	2	
..							Grand total for States						
..							Parts (A), (B) & (C)						
..							573	252	312	74	8	2	
West Bengal							ARREAR INFORMATION						
Burdwan							Mysore						
11							for w/e 25-8-56 (Revised)						
15							Bangalore						
14							6	1	
..							Mandya						
..							16	1	
6							Shimoga						
18							4	
12							Chitaldrug						
18							6	1	
2							Kolar						
..							6	2	
TOTAL							TOTAL						
96							26	2	12	3	
(Estd. mid-year pop.							Explanation of symbols used.						
26,396 thousands.)							C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.						
Total for w/e 1-9-56													
Total for w/e 25-8-56													
137													
85													
7-yearly mean for													
the week													
91													

Explanation of symbols used. C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.

[illegible]

Rajasthan
for w/e 25-8-56

TOTAL	18	I
--------------	---	---	---	----	----	----	---	----	----

Madhya Pradesh--contd.							
for_w/e 1-9-56							
Hoshangabad	3
Bilaspur	32	18
Durg	54	28	11	2
Bhandara	11	4	5
Akola	1	..	13	2
Raigarh	1	1
TOTAL	123	54	51	9

(Information based on patients treated in hospitals in important towns)

Place	Period	Cases	Deaths
Punjab	16—31 Aug., '56	6	(Paretic)
Hyderabad	2—15 Sept., '56	1	1

The 1st October, 1956.

K. MITRA, *Secy*
for Registrar General, India.

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 8th September, 1956

Town	Mid-year Popn. Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.†	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and C)															
Ajmer															
Ajmer	223	134	31.2	40	4	4	..	48	11.2	10		
Beawar	59	30	26.4	8	1	1	1	18	15.9	6		
TOTAL	282	164	30.2	28	5	5	1	66	12.2	16		
Andhra															
Adoni	63	48	39.6	1	1	4	..	15	12.4	5		
Anantpur†															
Anakapalli†															
Bhimavaram	36	17	24.5	2	8	11.6	2		
Chirala	43	15	18.1	2	1	9	10.9	1		
Chittoor	45	24	27.7	6	..	1	1	15	17.3	1		
Cuddapah	42	22	27.2	1	8	9.9	3		
Eluru	99	32	16.8	7	1	28	14.7	4		
Gudivada	36	36	52.0	1	1	9	13.0	2		
Guntur	147	162	57.3	7	4	1	1	50	17.7	16		
Guntakal	37	18	25.3	4	10	14.0	3		
Kakinada	113	57	26.2	28	5	..	2	35	16.1	5		
Kurnool	68	90	68.9	3	2	7	3	38	29.1	5		
Masulipatnam	88	57	33.7	..	2	2	2	..	22	13.0	6		
Nandyal	37	28	39.3	1	3	2	4	16	22.5	6		
Nellore	95	78	42.7	4	2	35	19.1	9		
Proddatur	42	26	32.2	3	1	11	13.6	4		
Rajahmundry	122	110	46.9	..	2	..	4	2	40	17.0	10		
Tenali	67	51	39.6	2	1	3	..	14	10.9	4		
Vijayavada	201	173	44.8	8	4	4	..	44	11.4	16		
Visakhapatnam	128	55	22.3	..	1	..	8	..	8	..	41	16.6	14		
Vizianagaram	75	35	24.3	4	2	6	..	26	18.0	3		
TOTAL	1,584	1,134	37.2	..	5	..	96	31	38	12	474	15.6	119		
Assam															
Shillong†															
Gauhati†															
Dibrugarh	46	6	6.8		
Silchar	43	5	6.1	1	2	1	1	10	12.1	3		
TOTAL	89	11	6.4	1	2	1	1	10	5.8	3		
Bhopal															
Bhopal	116	40	17.9	1	2	..	5	2.2	..		
Bihar															
Arrah	70	9	6.7	5	1	11	8.2	..		
Bihar	68	12	9.2	2	4	3.1	..		
Bettiah†															
Bhagalpur	126	40	16.5	2	8	31	12.8	..		
Chapra	69	35	26.4	2	13	9.8	3		
Darbhanga	93	14	7.8	2	1	5	2.8	..		
Dhanbad	41	7	8.9	2	2.5	..		
Dinapur	44	5	5.9	2	3	6	7.1	..		
Gaya	149	61	21.3	27	11	13	1	72	25.1	..		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 8th September, 1956—*contd.*

Town	Mid-year popn-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Bihar—contd.													
Hazaribagh	39	13	17.3	3	3.4	..
Jamalpur	47	6	6.6	2	2.2	..
Jamshedpur	246	134	28.3	1	1	1	..	14	3.0	7
Katihar	51
Monghyr	80	22	14.3	2	3	2.0	..
Muzaffarpur	84	41	25.4	7	1	26	16.1	..
Patna	330	275	43.3	3	2	47	7.4	..
Purulla	47	10	11.1	2	..	1	..	4	4.4	..
Ranchi	130	28	11.2	7	19	7.6	4
TOTAL	1,714	712	21.6	2	70	16	15	5	262	7.9	14
Bombay													
Ahmedabad	889	846	49.5	19	11	71	..	339	19.8	113
Ahmednagar	88	53	31.3	3	..	13	7.7	3
Amalner	50	38	39.5	5	..	2	..	12	12.4	2
Bagalkot	36	29	41.9	1	..	1	..	5	7.2	1
Baroda	242	256	55.0	21	4	14	1	84	18.0	24
Barsi	46	31	35.0	6	1	2	1	21	23.7	8
Belgaum	110	53	25.0	2	5	3	..	25	11.8	5
Bhusawal	62	30	25.1	6	12	10.1	3
Bijapur	75	44	30.5	4	1	2	..	20	13.9	4
Broach	67	60	46.6	8	4	2	..	22	17.1	1
Cambay	41	49	62.1	1	14	17.7	2
Chalisgaon	35	23	34.2	3	5	7.4	..
Dharwar	76	14	9.6	7	4.8	1
Dhulia	89	55	32.1	4	..	3	..	19	11.1	5
Gadag-Betegeri	71	50	36.6	8	..	2	1	18	13.2	3
Godra	40	28	36.4	2	3	3.9	1
Greater Bombay	3,449	1,405	21.2	1	36	122	1	646	9.7	203
Hubli	148	56	19.7	4	2	4	..	21	7.4	1
Jalgaon	79	34	22.4	1	..	1	..	11	7.2	2
Kalyan	73	30	21.4	1	..	2	..	8	5.7	3
Kolhapur	159	118	38.6	3	..	6	..	33	10.8	10
Malegaon	63	37	30.5	5	6	5.0	2
Miraj	44	21	24.8	2	..	17	20.1	2
Nadlad	71	74	54.2	13	..	1	..	17	12.4	3
Nandurbar	35	21	31.2	2	..	1	1	11	16.3	4
Nasik†
Navasari	50	32	33.3	6	10	10.4	..
Pandharpur	44	33	39.0	4	6	5	..	25	29.5	9
Patan	47	46	53.1	9	1	4	..	22	24.3	8
Poona	607	335	28.7	4	3	27	2	136	11.7	37
Sangli	58	48	43.0	1	1	2	..	9	8.1	1
Satara	40	26	33.8	1	3	..	14	18.2	2
Sholapur	299	328	57.0	14	13	25	..	155	27.0	39
Surat	250	234	48.6	13	8	17	1	130	27.0	38
Thana	61	48	40.9	1	4	1	..	12	10.2	1
TOTAL	7,594	4,587	31.4	171	102	328	8	1,902	13.0	541
Delhi State													
Delhi City	1,124	800	37.0	87	17	28	1	209	9.7	67
New Delhi	374	254	35.3	1	7	2	..	84	11.7	16
N.A.C. Civil Station Delhi	117	146	64.9	1	5	..	18	8.0	6
Delhi Cantt.	50	10	10.0
Delhi-Shahdara	53	70	68.7	31	..	2	..	12	11.8	4
TOTAL	1,718	1,280	38.7	91	25	37	1	323	9.8	93

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infant deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 8th September, 1956—*contd.*

Town	Mid-year Popn, Est. (000)	B.	B.R.*	Deaths from								Total D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madhya Pradesh				"N.R."									
Madras													
Ambar	44	30	35.5	1	8	9.5	3
Aruppukottai	56	31	28.8	2	2	9	8.4	..
Bodinayakanpur	40	3	3.9	1	3	1	..	10	13.0	1
Cannore	47	22	24.8	6	..	15	10.1	..
Chidambaram†				8	7	..	50	11.1	13
Coimbatore	234	205	45.6
Cuddalore	74	71	49.9	2	2	22	15.5	3
Dindigul	90	62	35.4	3	1	11	6.3	3
Erode	67	60	46.6	3	4	..	18	14.0	4
Gobichetty Palyan	38	14	19.2	1	3	4.1	1
Guddiyattam	53	16	15.7	1	3	5	..	12	11.8	4
Kancheepuram	90	114	65.9	3	14	2	31	17.9	2
Karaikudi†													
Karur	50	25	26.0	2	8	8.3	1
Kozhikode	176	173	51.1	4	2	5	..	69	20.4	10
Kumbakonam	105	89	44.0	2	1	..	24	11.9	7
Madras	1,703	1,234	37.7	..	3	..	46	83	162	..	568	17.3	161
Mangalore	136	76	29.0	2	..	2	..	34	13.0	3
Mathurai	427	195	23.7	46	8	1	..	125	15.2	23
Mayuram†													
Malapalyam	41	20	25.9	2	6	7.7	4
Nagapattinam	60	46	39.4	1	..	10	8.7	1
Ootacamund	48	26	28.2	1	8	8.7	3
Palni	40	9	11.7	1	1	..	6	7.8	..
Palayamkottai	45	51	58.9	2	..	2	..	10	11.6	..
Palghat	77	45	30.4	1	1	..	18	12.2	5
Periyakulam	34	25	38.2	1	1	8	12.2	1
Pollachi	51	44	44.9	1	..	1	12	12.2	3
Pudukottai	50	15	15.6	4	17	17.7	5
Rajapalayam	69	24	18.0	2	4	..	10	7.5	2
Salem†													
Srirangam	42	24	29.7	3	1	1	17	21.0	4
Srivilliputtur †													
Tanjore	118	107	47.2	1	..	5	..	32	14.1	..
Tellicherry	42	23	28.5	3	..	16	19.8	3
Tiruvannamalai	45	20	23.1	3	..	5	5.8	..
Tirunelveli	80	63	41.0	2	5	..	18	11.7	5
Tiruppur	63	57	47.0	1	4	3	..	18	14.4	6
Tiruchirappalli	251	131	27.1	4	3	7	..	55	11.4	9
Tuticorin	111	76	35.6	..	1	..	6	3	13	2	50	23.4	19
Vaniyambadi	43	25	30.2	1	3	..	10	12.0	1
Vellore	124	132	55.4	1	4	10	2	48	20.1	10
Villupuram	39	36	48.8	1	2	..	8	10.7	3
Virudunagar	53	43	42.2	1	2	2	..	14	13.7	4
TOTAL	4,956	3,462	36.3	..	4	..	128	155	274	9	1,413	14.8	327
Orissa													
Berhampur	72	100	72.4	3	3	1	..	29	20.1	6
Cuttack	117	116	51.7	10	6	9	..	64	28.5	7
Puri	53	35	34.4	10	8	2	1	34	33.5	6
TOTAL	242	251	53.6	23	17	12	1	127	27.3	19

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death Rate ; I. D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N. R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 8th September, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	Deaths from						Total	D.R.*	I.D.	
					S. P. F. D.D. R.D. M.D.									
					S.	P.	F.	D.D.	R.D.	M.D.				
Pondicherry														
Pondicherry	68	75	57.4	..	3	..	4	3	4	1	25	19.1	15	
Punjab (I)														
Ambala	65	56	44.8	6	1	1	..	15	12.0	6	
Amritsar	343	218	33.3	1	10	32	2	102	15.5	43	
Batala	62	40	33.7	5	..	5	..	12	10.0	4	
Bhulwani	57	64	58.4	9	6	26	23.6	9	
Ferozepore†														
Hissar	39	39	52.0	6	1	1	..	12	16.1	3	
Hoshiarpur	51	27	27.6	6	1	15	15.3	3	
Jullundur	200	158	41.2	14	5	7	..	38	9.9	10	
Karnal	72	41	29.6	7	2	1	..	16	11.4	2	
Ludhiana	176	128	38.0	13	1	3	..	31	9.2	11	
Moga	41	34	43.2	4	6	7.3	6	
Panipat	64	40	32.5	6	1	1	..	9	7.3	3	
Pathankot	34	20	30.6	1	4	6.0	1	
Rewari	36	36	52.0	4	1	10	14.4	..	
Rohtak	105	82	40.7	8	2	2	..	17	8.4	6	
Simla	50	37	38.4	1	12	12.4	5	
Sonapat	34	26	39.7	5	11	16.5	3	
TOTAL	1,429	1,046	38.1	95	31	53	3	336	12.2	115	
Uttar Pradesh														
Agra	375	683	95.1	3	14	70	..	139	19.2	52	
Allahabad	349	200	30.0	4	27	..	60	9.0	24	
Amroha	61	80	68.4	7	2	3	..	21	18.0	4	
Bahraich	47	27	30.0	3	..	2	..	9	10.0	5	
Banaras	383	359	49.0	53	18	14	2	200	27.3	62	
Balla†														
Banda	32	20	32.5	3	..	6	9.4	1	
Bareilly	203	86	22.1	8	10	7	..	34	8.5	12	
Bijnor†														
Budaun	54	40	38.5	4	1	1	..	15	14.4	6	
Basti†														
Bulandshahr†														
Chandausi	41	40	50.7	3	3	2	..	13	16.5	7	
Dehra Dun	146	60	21.5	17	6.1	3	
Etawah	64	58	47.4	8	3	4	..	33	26.5	10	
Faizabad-Ayodhya	88	37	22.0	4	1	1	..	8	4.7	1	
Farrukhabad-Fatehgarh	82	50	31.8	1	4	4	1	..	24	15.3	14	
Ferozabad	79	48	31.7	1	1	6	4.0	4	
Ghaziabad	46	38	43.2	7	1	12	13.6	5	
Gazipur	36	40	58.0	7	..	9	..	13	18.9	..	
Gorakhpur	140	100	37.2	7	5	34	12.7	13	
Gonda	35	12	17.9	1	1.5	..	
Hapur	49	56	59.7	7	3	2	..	13	13.9	5	
Hardwar	64	29	23.7	4	2	1	..	20	16.3	6	
Hathras	62	91	76.7	27	5	2	..	47	39.6	17	
Jaunpur	56	34	31.7	4	1	5	..	13	12.1	2	
Jhansi	116	126	56.8	24	2	2	..	38	17.0	12	
Kanpur	734	537	38.2	141	21	43	7	361	25.7	81	
Kasganj	34	30	45.6	3	2	6	9.1	4	
Khurja†														

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 8th September, 1956—*contd.*

Towns	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from —										D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Uttar Pradesh— <i>contd.</i>															
Koil-Allgarh . . .	150	90	31·4	6	7	5	1	33	11·5	8		
Lucknow . . .	494	628	66·5	19	7	13	1	154	16·3	36		
Mathura . . .	110	99	47·0	16	2	5	..	34	16·2	8		
Mau-Nath Bhanjant†															
Meerut . . .	185	141	39·8	9	4	5	1	33	9·3	11		
Mirzapur Vindhyachal . .	97	69	37·2	6	5	3	..	24	12·9	2		
Moradabad . . .	164	101	32·2	9	5	9	1	40	12·7	14		
Muzaffarnagar . . .	74	35	24·7	9	1	13	9·2	3		
Pilibhit . . .	45	30	34·8	4	—	7	8·1	4		
Rampur†															
Saharanpur . . .	162	135	43·6	26	1	2	..	54	17·4	20		
Sambhal . . .	65	55	44·2	9	3	3	..	22	17·5	5		
Shahjahanpur . . .	99	68	35·7	16	1	2	—	32	16·8	14		
Sitapur . . .	49	16	17·0	2	1	3	3·2	..		
TOTAL	5,070	4,348	44·6	1	460	140	250	13	1,592	16·3	485		

West Bengal

“N. R.”

STATES (Part B)**Hyderabad**

“N. R.”

Jammu & Kashmir

“N.R.”

Madhya Bharat

Greater Gwalior†															
Indore . . .	368	145	20·5	11	4	8	1	78	11·0	32		
Ujjain . . .	156	60	20·0	12	3	38	12·7	17		
Ratlam†															
Mandsaur . . .	41	8	10·2	2	1	3	3·8	1		
TOTAL	565	213	19·6	25	7	8	2	119	11·0	50		

Mysore

Chitaldrug . . .	31	5	8·4	1	1·7	..
Bangalore . . .	977	441	23·5	2	37	42	..	157	8·4	..
Mysore . . .	294	99	17·5	1	0·2	..
Kolar Gold Field . . .	173	119	35·8	2	4	3	..	33	9·9	..
Bellary . . .	78	18	12·0	5	3·3	..
Davanget†													
Hospet . . .	45	14	16·2	1	1	..	5	5·8	..
Shimoga . . .	57	23	21·0	13	3	18	16·4	..
TOTAL	1,655	719	22·6	17	45	46	..	220	6·9	..

PEPSU

Patiala City . . .	111	29	13·6	18	1	3	..	33	15·5	11
Malerkotla . . .	34	26	39·8	3	3	4·6	1
Bhatinda . . .	39	34	45·3	5	..	1	..	6	8·0	1
TOTAL	184	89	25·2	26	1	4	..	42	11·9	13

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. —Nil Information ; “N.R.” — Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 8th September, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.E.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Rajasthan														
Alwar†														
Bharatpur†														
Bikaner†														
Churu	48	2	2.2	2	4	4.4	..	
Ganganagar	47	10	11.1	4	1	6	6.6	..	
Tonk	45	4	4.6	2	3	3.5	..	
Kotah	72	26	18.8	10	16	11.6	4	
Sikar†														
Jaipur	353	76	11.2	47	18	4	..	91	13.4	32	
Udaipur †														
Jodhpur †														
TOTAL	565	118	10.9	65	19	4	..	120	11.0	36	
Travancore-Cochin														
Alleppey	148	40	14.1	2	1	1	..	16	5.6	3	
Changanacherry†														
Ernakulam	70	74	55.0	2	..	9	6.7	1	
Kottayam	50	113	117.5	2	1	1	20	20.8	1	
Mattanchery	85	63	38.5	3	..	2	..	19	11.6	4	
Nagercoil	94	32	17.7	4	3	3	..	21	11.6	1	
Quilon	75	81	56.2	1	1	..	18	12.5	4	
Trichur	76	57	39.0	2	..	1	..	12	8.2	1	
Trivandrum City	218	84	20.0	6	4	35	8.4	2	
TOTAL	816	544	34.7	17	11	11	1	150	9.6	17	
Saurashtra														
Bhavnagar	157	71	23.5	11	4	3	1	45	14.9	12	
Dhoraji	47	44	48.7	4	4	4.4	..	
Gondal	41	37	46.9	5	1	2	..	13	16.5	5	
Jamnagar	122	18	7.7	4	2	2	2	19	8.1	6	
Junagadh	65	49	39.2	12	1	4	1	21	16.8	4	
Morvi	43	25	30.2	3	2	2	..	7	8.5	3	
Porbandar	64	63	51.2	6	6	23	18.7	12	
Rajkot	167	73	22.7	11	7	5	..	45	15.2	14	
Surendranagar†														
Veraval	46	13	14.7	1	..	4	1	9	10.1	1	
TOTAL	752	393	27.2	57	23	22	5	186	12.9	57	
ARREAR RETURNS														
Bihar														
For w/e 1-9-56														
Arrah	70	16	11.9	2	3	8	5.9	..	
Bihar	68	11	8.4	4	5	3.8	..	
Bettiah†														
Bhagalpur	126	36	14.9	3	5	27	11.1	..	
Chapra†														
Darbangha	93	17	9.5	3	5	2.8	..	
Dhanbad	41	11	14.0	1	2	1	..	6	7.6	..	
Dinapur	44	4	4.7	2	1	2	6	7.1	..	
Gaya	149	50	17.4	15	2	12	2	58	20.2	..	
Hazaribagh	39	10	13.3	3	5	6.7	..	
Jamalpur	47	5	5.5	2	2.2	..	
Jamshedpur	246	126	26.6	1	..	1	..	11	2.3	4	
Katihar	51	1	1.0	2	2	2.0	..	
Monghyr†														
Muzaffarpur	84	54	33.4	5	1	3	..	24	14.9	..	
Patna	330	157	24.7	3	1	36	5.7	..	
Purulia	47	10	11.1	1	1	3	3.3	..	
Ranchi	130	27	10.8	7	1	18	7.2	6	
TOTAL	1,565	535	17.8	9	51	8	18	4	216	7.2	10	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N. R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 8th September, 1956—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	Deaths from :—						Total	D.R.*	I.D.
					S.	P.	F.	D.D.	R.D.	M.D.			
Assam					For w/e 1-9-56								
Gauhati	51	12	12.2	1	1	4	4.1	..
Saurashtra					For w/e 1-9-56								
Bhavnagar	157	80	26.5	9	5	2	..	36	11.3	4
Dhoraji	47	30	33.2	5	..	1	..	10	11.0	3
Gondal	41	17	21.6	2	4	11	14.0	5
Jamnagar	122	28	11.9	11	6	8	..	30	12.8	5
Junagadh	65	38	30.4	11	1	2	1	22	17.6	12
Morvi	43	8	9.6	4	..	1	..	5	6.0	5
Porbander	64	24	19.5	12	2	1	1	31	25.2	14
Rajkot	167	74	23.0	20	9	4	1	58	18.1	15
Surendranagar†													
Veraval	46	12	13.1	1	..	3	..	5	5.7	..
TOTAL	752	311	21.5	75	27	22	3	208	14.4	63
Jammu & Kashmir					For w/e 14-7-56								
Jammu	69	45	33.9	2	1	2	2	12	9.0	..
					For w/e 21-7-56								
Jammu	69	44	33.1	3	2	13	9.8	3
					For w/e 28-7-56								
Jammu	69	39	29.4	2	1	2	..	10	7.5	..
					For w/e 4-8-56								
Jammu	69	54	40.7	4	3	2	..	14	10.6	3
					For w/e 11-8-56								
Jammu	69	40	30.1	1	1	7	5.3	2
Punjab					For w/e 1-9-56								
Simla	50	37	38.5	1	1	..	9	9.3	7
Bombay					For w/e 25-8-56								
Jalgaon	79	27	17.8	2	..	9	5.9	2
Broach	67	63	48.9	3	2	7	..	21	16.3	5
Nasik	119	106	46.3	5	2	13	..	38	16.5	16
					For w/e 1-9-56								
Jalgaon	79	133	87.5	14	1	..	1	24	15.7	9
Malegaon	63	48	39.6	8	1	13	10.7	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable or calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; —Nil information ; "N.R." = Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 8th September, 1956 relate to 212 towns with an estimated population of 29,399 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 67% of the total number of towns representing 71% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 19,186 and 7,372 representing birth and death rates of 33.9 and 13.0 per thousand of population respectively.

(a) *States (Parts A and C).*—The data here relate to 177 towns with an estimated population of 24,862 thousands. Information about Madhya Pradesh and West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 70% of the total number of towns representing 74% of the total population is covered. The number of births

and deaths recorded in these towns were 17,110 and 6,535 representing birth rates and death rates of 35.8 and 13.7 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 35 towns with an estimated population of 4,537 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 54% of the total number of towns representing 56% of the total population is covered. The number of births and deaths recorded in these towns were 2,076 and 837 representing birth and death rates of 23.8 and 9.6 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 8-9-1956		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	30.2	12.2	†	†	46.2	15.8
Andhra	37.2	15.6	40.7	15.5	†	†
Bihar	21.6	7.9	23.8	8.0	17.8	7.8
Bombay	34.4	13.0	38.7	14.9	34.8	16.5
Delhi	38.7	9.8	39.4	10.0	44.3	11.7
Madras	36.3	14.8	44.2	16.1	†	†
Orissa	53.6	27.3	55.5	20.4	45.2	20.3
Punjab (I) . . .	38.1	12.2	44.0	11.5	40.3	12.8
Uttar Pradesh . .	44.6	16.3	49.0	17.6	44.0	19.5
India*	35.8	13.7	41.3	14.7	38.4	16.9

*7 Part 'A' States and 2 Part 'C' States.

†Figures not available.

NEW DELHI-2 (INDIA);

The 1st October, 1956.

K. MITRA,
For Registrar General, India